



TRANSASIA PETROCHEM PVT. LTD.

The Most Trusted Additives

AN ISO 9001:2015 CERTIFIED COMPANY

**MANUFACTURER & EXPORTER OF LUBRICANT ADDITIVES & COMPONENTS
SUPPLIER OF POLYMERS & DYES**



MADE IN INDIA



COMPANY PROFILE

WE TRANSASIA PETROCHEM PVT. LTD, One of the Leading Manufacturer and Exporter of Additives for Lube oil , Greases & Fuels located in India. The most trusted Additives manufacturing company incorporated in 2012 having more than 100 products for various Automotive & Industrial Lube applications. Our products are specially formulated to meet national & international specifications meeting all performance levels. We assure guaranteed quality for our formulated Additives. Our product range is available to the customers at competitive prices with best performances requirements to suit end applications.

Our products can be manufactured as per customer specifications, and we are ready to make modifications to our chemistries and manufacturing processes dependent upon quantities ordered.

Total Quality Management

We are committed to continuously improving our products and processes by having an integrated approach which encompasses the needs and expectations of the customer, our people and processes.

R&D

In order to stay ahead of the competition we know it is important to invest in the future by continuously developing new products and technologies, that is why we have R&D laboratories at each of our manufacturing units. If you need confidential assistance in the use of our additives for the development of improved fuels and lubricants, we are ready to work with you.

Supply Chain Management

We at M/s. TRANSASIA PETROCHEM PVT. LTD. understand that in today's fast paced and highly competitive environment, supply chain logistics plays a big part in keeping cost down and delivering the product into the market at the right time, right place and at the right price.

Having extensive experience in this area we can provide our customers with cost- efficient supply chain solutions.

ABOUT US



MR. ATUL B. SHAH (DIRECTOR) bears the position of Technical Head in our company and engaged in technical developments & quality up gradation of Additives, Lubricants, Greases & Speciality Products.

MR. ATUL B. SHAH, post graduate in science from Mumbai University with specialization in organic chemistry having over 30 years experience in the field of petroleum Lubricants, Additives & Speciality chemicals & worked IN REPUTED MULTINATIONAL COMPANY M/S LUBRIZOL INDIA LTD, APAR INDUSTRIES LTD & M/S HINDUSTAN PETROLEUM CORPORATION LTD AS R & D MANAGERIAL CAPACITY.



MR. HARSHAL A. SHAH bears the position of Director in our company & engaged in complete management marketing of lubricants, additives, greases & speciality products.

MR. HARSHAL A. SHAH, CHEMICAL ENGINEER from Mumbai University with this sharp business acumen deep domain knowledge & experience in the field have taken the organization to an unparalleled peak of success.

**(A) AUTOMOTIVE LUBRICANT ADDITIVE****1. FOUR STROKE ENGINE OIL ADDITIVE**


SR. NO.	PRODUCT CODE	MEETS API PERFORMANCE
1	TAP 3547T	SF,SG,SJ,SL,SM,SN, JASO MA/MA2
2	TAP 3547TS	SG,SJ,SL,SM,SN JASO MA/MA2/MB
3	TAP 355T	SF, SJ, SL, SM,SN

**2. TWO STROKE ENGINE OIL ADDITIVE**

SR. NO.	PRODUCT CODE	MEETS API PERFORMANCE
1	TAP 6000	JASO FB,JASO FC
2	TAP 6003 (2T OUTBOARD MARINE)	NMMA TC-W2, TC-W3

**3. PASSENGER CAR MOTOR OIL ADDITIVE (PCMO)**

SR. NO.	PRODUCT CODE	MEETS API PERFORMANCE
1	TAP 3547	SG/CD, SF/CF, SG/CF, SJ/CF, SL/CF-4, CH4
2	TAP 933	SG/CD, SJ/CF, SL/CF4, SM/SN/CF4
3	TAP 999	SC/CC, SF/CF, SJ/CF, SL/CF-4, SM/CH-4, SM/CI-4

**4. HEAVY DUTY ENGINE OIL ADDITIVE (HDDO)**

SR. NO.	PRODUCT CODE	MEETS API PERFORMANCE
1	TAP 2121	SF/CC, SF/CD, SF/CF, SG/CD, SJ/CF, SG/CF-4, SL
2	TAP 8172	CF-4
3	TAP 8474	CF, CF-4, CH4, CI4, CI4 PLUS





5. MULTI GRADE ENGINE OIL ADDITIVE

SR. NO.	PRODUCT CODE	MEETS API PERFORMANCE
1	TAP 999M	SJ/CF, SG/CF-4, SL/CF-4 SM/CH-4, SN/CI-4
2	TAP 3757M	SM/CI-4
3	TAP 2121M	SF/CC, SF/CD, SF/CF, SG/CF, SJ/SL/CF**, SG/CF-4, SL/CF-4
4	TAP 997M	SJ/CF, SG/CF-4, SL/CF-4, SM/CH-4, SN/CI-4



6. CNG ENGINE OIL ADDITIVE

SR. NO.	PRODUCT CODE	MEETS API PERFORMANCE
1	TAP 999G	SF/CC, SF/CD, SF/CF, SG/CF, SJ/CF, SG/CF-4, SL/CF-4, CG4, CH4, CJ4



7. MARINE ENGINE OIL ADDITIVE

SR. NO.	PRODUCT CODE	MEETS API PERFORMANCE
1	TAP 963	CD, CF, CF4, CH, CH4, CI4



8. SYNTHETIC / SEMI SYNTHETIC ENGINE OIL ADDITIVE

SR. NO.	PRODUCT CODE	MEETS API PERFORMANCE
1	TAP 171	SL/CH4, SM/CI4, SN/CF, SN/CI4 PLUS
2	TAP 1201	SL/CH4, SM/CI4, SN/CF, SN/CI4 PLUS

9. UNIVERSAL TRACTOR TRANSMISSION OIL ADDITIVE (UTTO)

SR. NO.	PRODUCT CODE	DOSAGE /TREAT RATE%
1	TAP 6792	6 TO 7 %



**10. SPECIAL ENGINE OIL ADDITIVE**

SR. NO.	PRODUCT CODE	PRODUCT DESCRIPTION	MEETS API PERFORMANCE
1	TAP 1722	HIGH TBN ENGINE OIL ADDITIVE TBN 200	SC/CC, SC/CD, SE/CC, SE/CD, SF/CC, SF/CD SF/CF, SG/CF, SJ/CF4
2	TAP 999B	ENGINE OIL ADDITIVE	BS-6
3	TAP 999D	ENGINE OIL ADDITIVE FOR DIESEL GENERATOR	CF4, CH-4
4	TAP 333	RAILROAD ENGINE OIL ADDITIVE	CF, CF2 , CATERPILLAR 3600 LMOA GENERATION 5 , GE GENERATION 4 LONG LIFE
5	TAP 261	ENGINE OIL ADDITIVE CK-4	CI-4, CJ-4, CK-4

11. SPECIALITY PRODUCT

SR. NO.	PRODUCT CODE	PRODUCT DESCRIPTION	DOSAGE/TREAT RATE %
1	TAP 1512	FLUSHING OIL ADDITIVE (FOR BIKE/CAR/TRUCK/BOILER ETC)	30-50 ML PER 1 LTR.
2	TAP 9186	MULTIFUNCTIONAL FUEL ADDITIVE FOR PETROL/DIESEL ENGINE	1 ML PER 1 LTR.
3	TAP 9813	FRICTION MODIFIER	0.1 - 0.5
4	TAP 9813L	LUBRICITY IMPROVER	0.1 - 0.5
5	TAP 2000	MILEAGE BOOSTER FOR ENGINE OILS	0.1 - 0.5
6	TAP 111	DEHAZER (MOISTURE REMOVER)	0.1 - 0.4

12. GEAR OIL ADDITIVE

SR. NO.	PRODUCT CODE	PRODUCT DESCRIPTION	MEETS PERFORMANCE
1	TAP 3433	E. P. ADDITIVE FOR GEAR OIL HIGH SULFUR & HIGH WELD LOAD	GL 4/ GL 5/ GL 3/ GL 2/GL 1/ DIN 51517 PART III, US STEEL 224/ ISO 12925-1 CKC/CKD/ CINCINATI MILACRON THERMAL STABILITY TEST/ AGMA/ANSI 9005 E02
2	TAP 4133	E. P. ADDITIVE FOR GEAR OIL	"
3	TAP 254	E.P ADDITIVE FOR GEAR OIL (NO SMELL)	"
4	TAP 2133	E. P. ADDITIVE FOR GEAR OIL	"



13. AUTOMATIC TRANSMISSION FLUID ADDITIVE (ATF)

SR. NO.	PRODUCT CODE	MEETS PERFORMANCE
1	TAP 401	DEXRON II/IIID-H, FORD MERCON, ALLISON C 4, CATERPILLAR TO 2, FZG, DEX IV
2	TAP 401A	DEXRON II/IIID-H, FORD MERCON, ALLISON C 4, CATERPILLAR TO 2, FZG, DEX IV, DEX VI
3	TAP 345	CVT



14. HYDRAULIC OIL ADDITIVE

SR. NO.	PRODUCT CODE	MEETS PERFORMANCE
1	TAP 8640	DENISON HF0, HF 1, HF 2, CINCINNATI MILACRON, US STEEL 127, 136 & DIN 51524 PART II , VICKERS VANE PUMP SPECIFICATIONS, AW/HLP
2	TAP 8640A	DENISON HF0, HF 1, HF 2, CINCINNATI MILACRON, US STEEL 127, 136 & DIN 51524 PART II , VICKERS VANE PUMP SPECIFICATIONS, AW/HLP



(B) COOLANT ADDITIVE

SR. NO.	PRODUCT CODE	PRODUCT DESCRIPTION
1	TAP 3333	CORROSION INHIBITOR FOR ANTIFREEZE COOLANT
2	TAP 330T	COOLANT THICKENER



(C) PERFUME



SR. NO.	PRODUCT CODE	PRODUCT DESCRIPTION
1	TAP EOP	ENGINE OIL PERFUME
2	TAP POP	PREMIUM OIL PERFUME

**(D) VISCOSITY INDEX IMPROVER (LIQUID BASE) (VISCOSITY @100⁰C-1400-2200 CST)**

SR. NO.	PRODUCT CODE	PRODUCT DESCRIPTION
1	TAP 403Y	OCP VISCOSITY INDEX IMPROVER YELLOW 37-40 SSI
2	TAP 403W	OCP VISCOSITY INDEX IMPROVER WHITE 37-40 SSI
3	TAP 504	PREMIUM OCP VISCOSITY INDEX IMPROVER YELLOW 25-28 SSI
4	TAP 522	PREMIUM OCP VISCOSITY INDEX IMPROVER WHITE 25-28 SSI
5	TAP 461Y	OCP VISCOSITY INDEX IMPROVER YELLOW (45 SSI)
6	TAP 471Y	OCP VISCOSITY INDEX IMPROVER YELLOW (45 SSI)
7	TAP 451W	OCP VISCOSITY INDEX IMPROVER WHITE
8	TAP 403M	PMA VISCOSITY INDEX IMPROVER (15-20 SSI)
9	TAP 9-100M	LOW SSI PMAVISCOSITY INDEX IMPROVER (10 SSI)
10	TAP 9-200	LOW SSI VISCOSITY INDEX IMPROVER (5 - 10SSI)

**(E) POLYMER**

SR. NO.	PRODUCT CODE	PRODUCT DESCRIPTION
1	SUMITOMO 141	SSI 37 TO 40
2	SUMITOMO 132	SSI 25 TO 28
3	SUMITOMO 111	SSI 30 TO 32
4	NORDEL 3745	SSI 45 TO 50
5	TAP P7141	SSI 40 TO 45
6	TAP P161	SSI 45 TO 50
7	TAP P171	SSI 45
8	TAP P191	SSI 45





(F) DYES

SR. NO.	PRODUCT CODE	PRODUCT DESCRIPTION
1	TAP RED DYE	RED DYE LIQUID
2	TAP GREEN DYE	GREEN DYE LIQUID
3	TAP BLUE DYE	BLUE DYE LIQUID
4	TAP ORANGE DYE	ORANGE DYE LIQUID
5	TAP FLUORO GREEN	FLUORO GREEN DYE LIQUID
6	TAP GOLDEN DYE	GOLDEN DYE LIQUID
7	TAP BROWN DYE	BROWN DYE LIQUID
8	TAP COOLANT GREEN DYE	LIQUID (WATER BASE)




(G) GREASE ADDITIVE

SR. NO.	PRODUCT CODE	PRODUCT DESCRIPTION
1	TAP 794B	E.P. ADDITIVE FOR GREASE
2	TAP 363N	ANTIOXIDANT FOR GREASE
3	TAP 210	ORGANOCLAY FOR GREASE
4	TAP 567	DROP POINT IMPROVER
5	TAP 958G	RUST INHIBITOR & CORROSION INHIBITOR



**(H) ADDITIVE COMPONENTS**

SR. NO.	PRODUCT CODE	PRODUCT DESCRIPTION
1	TAP 6565	POUR POINT DEPRESSANT
2	TAP 5931	ANTIWEAR ADDITIVE (ZDDP)
3	TAP 4734	ANTIOXIDANT PHENOLIC
4	TAP 363	ANTIOXIDANT AMINIC
5	TAP 334	CALCIUM PETROLEUM SULFONATE 30TBN
6	TAP 4500RP	SODIUM PETROLEUM SULPHONATE (HIGH MOL WT)
7	TAP 4500	SODIUM PETROLEUM SULPHONATE FOR EMULSIFIER
8	TAP 4554	BARIUM PETROLEUM SULFONATE
9	TAP 3300C	CALCIUM PETROSULFONATE 300 TBN TBN BOOSTER 300
10	TAP 3400C	CALCIUM PETROSULFONATE 400TBN TBN BOOSTER 400
11	TAP 3300M	MAGNESIUM PETROSULFONATE 300TBN TBN BOOSTER 300
12	TAP 3400M	MAGNESIUM PETROSULFONATE 400TBN TBN BOOSTER 400
13	TAP 5121	TACKIFIER (ANTISPLASHING AGENT)
14	TAP 950	POLYISOBUTYLENE (PIB)-950 MOL WT.
15	TAP 2400	POLYISOBUTYLENE (PIB)-2400 MOL WT.
16	TAP 900	SULFURIZED ISOBUTYLENE (SULFUR%- 40.0-46.0)
17	TAP 1011	SULFURIZED ESTER(SKO)
18	TAP 990	POLYISOBUTYLENE SUCCINIC ANHYDRIDE PIBSA
19	TAP 801	POLYISOBUTYLENE SUCCINAMIDE (PIBSI)






SR. NO.	PRODUCT CODE	PRODUCT DESCRIPTION
20	TAP 9810	DISPERSANT ADDITIVE (NITROGEN- 4 - 5%)
21	TAP 1100M	DISPERSANT FOR LUBRICATING OILS (HIGH NITROGEN 3-4.0 5.0%)
22	TAP 8890	ASHLESS DEFOAMER
23	TAP 8890W	WATER SOLUBLE DEFOAMER
24	TAP 200	SILICON DEFOAMER



(I) INDUSTRIAL ADDITIVES

SR. NO.	PRODUCTCODE	PRODUCT DESCRIPTION
1	TAP 563L	SOLUBLE CUTTING OIL EMULSIFIER
2	TAP 563	PREMIUM SOLUBLE CUTTING OILS EMULSIFIER
3	TAP 563N	CONING OIL EMULSIFIER / ANTISTATIC
4	TAP 1810	KNITTING OIL EMULSIFIER
5	TAP 563WB	WOOL BATCHING OIL EMULSIFIER
6	TAP 1810NW	NONWASHABLE KNITTING OIL ADDITIVE
7	TAP 5052	NEAT/STRAIGHT CUTTING OIL ADDITIVE
8	TAP 5054	NEAT/STRAIGHT CUTTING OIL ADDITIVE CHLORINE FREE
9	TAP 5055	MULTI METAL NEAT CUTTING ADDITIVE
10	TAP 505E	NEAT CUTTING OIL ADDITIVE
11	TAP 563A	CORROSION INHIBITOR FOR EMULSIFIER
12	TAP 8641	SPINDLE OIL ADDITIVE





SR. NO.	PRODUCTCODE	PRODUCT DESCRIPTION
13	TAP 8643	SHOCKABSORBER OIL ADDITIVE(FORK)
14	TAP 5049	HEAT TRANSFER/THERMIC OIL ADDITIVE
15	TAP 75	COMPRESSOR OIL ADDITIVES
16	TAP 5718	TURBINE OIL ADDITIVES
17	TAP 5049Q	QUENCHING OIL ADDITIVE
18	TAP 8642	PNEUMATIC ROCK DRILL OIL ADDITIVE
19	TAP 5211	RUST & OXIDATION INHIBITOR TYPE OIL ADDITIVE PACKAGE (HIGH NITROGEN 4.2%-4.5%)
20	TAP 958	RUST & CORROSION INHIBITOR FOR INDUSTRIAL OILS
21	TAP 4545D	RUST PREVENTIVE OIL ADDITIVE DARK COLOR (SEMISOLID)
22	TAP 4545L	RUST PREVENTIVE OIL ADDITIVE LIGHT COLOR (SEMISOLID)
23	TAP 2508	RUST PREVENTIVE OIL ADDITIVE (LIQUID FORM)
24	TAP 4390	METAL DEACTIVATOR
25	TAP 205	VACUUM OIL ADDITIVE
26	TAP 8610S	SLIDEWAY OIL ADDITIVE
27	TAP 2286F	MULTIFUNCTIONAL FUEL ADDITIVE - LDO/FO
28	TAP 1450	PIPELINE RUST & CORROSION INHIBITOR
29	TAP 5052W	WIRE DRAWING OIL ADDITIVE
30	TAP 860	METAL DEACTIVATOR (PREMIUM)






TRANSASIA PETROCHEM PVT. LTD.

The Most Trusted Additives

AN ISO 9001:2015 CERTIFIED COMPANY

**MANUFACTURER & EXPORTER OF LUBRICANT ADDITIVES & COMPONENTS
SUPPLIER OF POLYMERS & DYES**



CORPORATE OFFICE:

801, Ghanshyam Enclave, Link Road, Lalji Pada,
Kandivali(W), Mumbai-400067, Maharashtra, INDIA

Tel.No.: +91 93231 26536, 99309 20590

Website: www.transasiapetrochem.com

Email: info@transasiapetrochem.com

MANUFACTURING UNIT:

Plot No. 15, Survey No. 433/3, Bidco Area, Village - Mahim,
Palghar (W)-401404 Maharashtra, India

Tel.No.: +91 93231 26536, 99309 20590

Website: www.transasiapetrochem.com

Email: info@transasiapetrochem.com

